

Mathematics Mastery vocabulary list

This document highlights the vocabulary introduced throughout the primary curriculum – from Reception to Year 6.

The vocabulary listed here is vocabulary that <u>pupils</u> are expected to use and understand on a daily basis within that year group, though the definitions are written for teacher reference and would not necessarily be shared with children as they stand. The vocabulary listed is cumulative and builds on the vocabulary previously introduced. Teachers should also consult with the Mathematics Mastery Primary Glossary.

This is a working document and will be updated as required.

Reception	Definition	Example
Above	Used to describe a higher position than another object.	The Maths Meetings board is above the sink.
Add	Carry out the process of addition.	I can add two numbers together to find a total.
Addition	The operation to combine at least two numbers or quantities to form a further number or quantity, the sum or total. Addition is the inverse operation to subtraction.	Three plus seven is equal to ten. This is an addition equation.
Altogether	In total.	That will be £2 altogether please.
Balance	A measuring tool used to weigh objects. It has two dishes hanging on a bar. Both dishes will be level when the contents weigh the same. Also, as a verb, indicates equivalence and equality.	The objects in the balance are unequal in weight because the dish on the right side is lower down that the dish on the left side. The two objects balance which means they have the same mass.
Before	In front of or prior to.	The number '3' comes before '5' on the number line.
Below	Used to describe a lower position than another object.	The sink is below the Maths Meetings board.
Between	Indicates a position in relation to two other places or objects on either side.	The teacher is standing between two tables.
Capacity	The amount of liquid a container can hold.	This cup is full to capacity because it cannot hold any more water.
Circle	The name of a 2-D shape. A circle has a curved side.	
Clock	A tool used to measure time.	The clock shows us that the time is now 2 o'clock.
Compare	Look for similarities and/or differences between at least two objects or sets.	I can compare these two sets – this set has more.
Corner	A point where two or more lines meet. The correct mathematical term is vertex (vertices).	The table has four corners (vertices).
Cost	A monetary value assigned to a good or service.	This apple costs 10p. What coin could I use to pay for it?



Count	Assigning one number name to	I counted the children in the group –
	each of a set of objects to	there are four so we will need four
	determine how many there are.	pencils.
Cube	A 3-D shape with six identical	
Oubc	square faces.	
	equalo labob.	
0 1 11	A 0 D 1 30 3	
Cuboid	A 3-D shape with six rectangular	
	faces.	
Curved surface	A non-plane surface of a 3-D	The cone has a curved surface.
	shape. Both cones and cylinders	
	have curved surfaces.	
Cylinder	A 3-D shape with two circular faces	
Cyllilaei		
	joined by a curved surface.	
2-D	Abbreviation for two-dimensional. A	A square is a 2-D shape.
	figure is two-dimensional if it lies on	
	a plane.	
3-D	Abbreviation for three-dimensional.	A cylinder is a 3-D shape.
	A solid is three-dimensional and	.,
	occupies space.	
Describe	To express mathematical features,	Can you describe the properties of a
Describe		
D:((qualities and details in words.	cube?
Difference	The numerical difference between	The difference between ten and six is
	two numbers or sets of objects. It is	four.
	found by comparing the quantity of	
	one set of objects with another.	
Direction	The orientation of a line in space.	Which direction should we jump –
	•	forwards or backwards?
Distance	A measure between two points or	The distance between my house and the
Diotarioo	things.	school is longer than that between the
	tilligs.	l
Davidala	To see dCababas (see an add as sales to	school and the train station.
Double	To multiply by two or add a value to	Ten is double five.
	itself.	
Edge	A line segment joining two vertices	A triangle has three edges and a cube
	of a plane figure (2-D shape) and	has 12 edges .
	the intersection of two plane faces	
	(in a 3-D shape).	
Empty	Containing nothing. Most	There is no more water left in the jug – it
,	commonly used in the context of	is empty.
	measures.	io ompty.
Fauci		My ooto oro ogust become the second
Equal	Indicates equivalence between two	My sets are equal because there are
	values and can be expressed with	four bears in this set and there are four
	the symbol '='. The symbol is read	bears in this set.
	as 'is equal to' which means the	
	same as. Expressions on either	
	side of the symbol have the same	
	value.	
Face	Value. One of the plane surfaces of a solid	A cube has six faces
Face	value. One of the plane surfaces of a solid shape.	A cube has six faces .



Fewer	A lesser amount – used when counting discrete objects, i.e. countable objects such as, pens, teddies, counters, etc.	There are fewer buttons on my coat than yours.
First	Comes before all others in time or position.	First I brush my teeth. Then I go to bed.
Flat	A level surface.	The table has a flat rectangular surface.
Full	Contains/holds as much or as many as possible; has no empty space.	The juice carton is not full because I drank some.
Group	To make equal size groups. This is one model for division.	I will group the crayons equally so that each person gets two.
Half	One of two equal parts of a shape, quantity or object.	I have shared the dolls into two equal groups – I have half and you have half .
Intersection of sets	Where the two subsets overlap in a Venn diagram. Objects or values which belong to both subsets are placed here.	The number 4 belongs in the intersection because it is even and less than 5.
Last	Comes after all others in time or order.	Rory is the last person in the line.
Length	A linear measurement.	The length of my snake is shorter than yours.
Less	A smaller amount or not as much.	I have 15p and you have 7p. you have less money than me.
Line	A set of adjacent points that has length but no width.	I have drawn a line matching the number four with the four ducks.
Long	An adjective used to describe length.	I have a long piece of string.
Mass	A measure relating to the amount of matter within a given object.	The mass of the school bag is greater than the mass of the book.
Measure	To find the size of something in a given unit.	How might we measure how much flour we need to bake a cake?
Minus	A name for the symbol '-', which denotes the operation of subtraction.	Three minus one is equal to two.
More	A greater amount.	I have six apples and you have two. I have more .
Next	Comes immediately after the present one in order.	The next shape in my pattern is a square.
Number bond	A pair of numbers with a given total.	Five and four make a number bond to nine.
Number line	A linear, continuous representation of number. Each number occupies a point on the line, and there is an equal interval between each number.	This number line starts at zero and ends at ten.
Number track	A linear, discrete representation of number. Each number is positioned in a square on the track.	I can count from one to ten, moving a counter along this number track .
Order	Describes the placement of items according to given criteria or in a pattern. As a verb, to place items according to given criteria or in a pattern.	I have ordered the bears from smallest to biggest.



Pair	A set of two things used together.	Socks come in a pair – one for each foot.
Pattern	A systematic arrangement of numbers, shapes or other elements according to a rule.	The pattern is red, blue, red, blue, red blue.
Plus	The word representing the operation of addition. It is also the name for the symbol '+'.	Five apples plus two apples are equal to seven apples.
Rectangle	A quadrilateral with four right angles.	
Second	 A unit of time. An ordinal number. 	Mohsin is second in the line today.
Sequence	A series of numbers or other elements which follow a rule.	The number 3 is next in the sequence because each number is one less than the one before.
Set	A defined group of objects, numbers or other elements.	I have placed all the purple counters in this set because they are all the same colour.
Share	To distribute fairly between a given number of recipients. This is one model for division.	I will share the crayons equally between the people at the table.
Short	An adjective used to describe length.	This string will not reach to the door. It is too short .
Side	A straight line that forms part of the boundary of a shape.	This shape has four straight sides .
Size	An element's overall dimensions or magnitude.	The size of my shoe is smaller than my teacher's.
Sort	To organise a set of elements into specified categories.	I will sort these objects based on their size.
Square	A quadrilateral with four equal length sides and four right angles.	
Straight	A line or movement uniform in direction, without bends or curves.	The walls of the school are straight .
Subtract	Carry out the process of subtraction.	Nine subtract three is equal to six.
Subtraction	The inverse operation to addition.	We are taking some away so it is a subtraction question.
Sum	The result of one or more additions.	The sum of five and three is eight.
Surface	An outer boundary of a 3-D object.	This cone has a curved surface.
Take away	Used in the reduction structure of subtraction. To remove a number of items from a set.	He ate three of the sweets so we need to take away three counters.
Tall	Measuring a specific distance from top to bottom.	Our class teacher is not as tall as our head teacher.
Time	Related to duration. Measured in seconds, minutes, hours, days, weeks, months, years etc.	After lunch it will be time for P.E.
Total	The sum found by adding.	There are a total of five people at this table.
Triangle	A polygon with three sides.	



Venn diagram	Two or more circles which represent given sets and intersect according these.	blue shapes squares
Vertex (pl.	The point at which two or more	This shape has five vertices .
vertices)	lines intersect.	
Weight	The force exerted on an object by gravity. Weight therefore changes with a change in gravitational force. Used interchangeably with mass until KS2.	The weight of this book is heavier than the pencil.
Zero	The number before one. It is	Zero comes before one on the number
	neither positive nor negative.	track.

Year 1	Definition	Example
Analogue clock	A clock with a face and hands.	10 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Anticlockwise	Movement in the opposite direction to the motion of the hands of a clock.	
Approximate	The number is not exact but it is close.	Our PSHE lesson lasts approximately half an hour.
Array	An arrangement of counters or numbers, in columns and rows, used to represent multiplication and division	This array shows 3 × 4, 4 × 3, 12 ÷ 4 and 12 ÷ 3
Block graph	The pre-cursor to the bar graph, this representation of data has an x- and y-axis and one block represents one item. Each block is adjoined to the adjacent block.	How children travel to school 4 4 4 4 4 4 4 4 4 4 4 4 4
Chart	A table or graph.	I will mark one day for the sun on our weather chart .
Chronological	In time order.	I ordered the events in my day chronologically. I woke up, ate my breakfast, went to school then came home.
Clockwise	Movement in the direction of the hands of a clock.	C



Comp	A 2 D alcana with one sincular	
Cone	A 3-D shape with one circular	
	plane face, which tapers to an	
	apex.	
0 "		A 1 1
Continuous	An outer boundary of a 3-D object	A sphere has a continuous surface .
surface	which is uninterrupted by any plane	
	surfaces.	
Data	Quantitative information which has	This block graph shows us data for the
	been counted or measured.	colour of the cars in the car park.
Decreasing	Becoming smaller in value. Used in	15, 14, 13, 12. This number pattern is
	relation to number sequences.	decreasing by one each time.
Diagram	An illustration, drawing or	I will draw a diagram to show how I
Diagram	representation.	programed my floor toy to move.
Digit	One of the ten Arabic numerals 0	The number 54 has the digit five in the
Digit		
	to 9, from which we compose	tens column and the digit four in the
	numbers.	ones. The digit five has a value of fifty.
Divide	To share or group into equal parts.	I can divide 12 by three using grouping
		or sharing.
Estimate	An appropriately accurate guess,	I estimate there are eight cubes in the
	depending on the context and	cup because it looks about double four
	numbers involved.	but fewer than ten.
Even number	A number with a 0, 2, 4, 6 or 8 in	32 is an even number .
	the ones and therefore exactly	
	divisible by two.	
Facts	Related to the four operations (+, -,	Number bonds to and within 10 and 20
1 acis	\times , \div). Pupils should be supported in	
		are facts , e.g. 3 + 7 = 10.
	achieving fluency, i.e. very fast	
	recall, in these facts. These then	
	become known facts.	
Fraction	1. A part of a whole number,	I have shared my sweets into four equal
	quantity or shape.	parts. Everyone will get a fraction of the
	Expressing a division	whole quantity of sweets. One group is a
	relationship between two	quarter of the whole.
	integers in the form $\frac{a}{h}$.	
Half turn	<i>b</i>	
Tiali tuiti	A 180 degree rotation, i.e. $\frac{1}{2}$ of a	
	360 degree or 'full' turn.	
		<u> </u>
	A '(f ('	T. 041 : 1
Hour	A unit of time.	There are 24 hours in one day.
Increasing	Becoming greater in value. Used in	2, 4, 6, 8. This number pattern is
	relation to number sequences.	increasing by two each time.
Kilogram	A standard unit of mass, equal to	The book has a mass of two kilograms.
	1000 grams.	
Known fact	A number fact which has been	When I use the 'Make ten' strategy to
	committed to memory (or very fast	add, I use known facts to partition the
	recall) and can be applied fluently	number I'm adding.
	to various calculation strategies.	
Left	Indicating the position or direction.	Make a quarter turn left and walk forward
Loit	maloding the position of direction.	three steps.
Litre	A standard unit of values agreed to	
Lille	A standard unit of volume, equal to	The capacity of the jug is about half a
	1000 millilitres.	litre.



Mental calculation	A calculation performed without using a formal written strategy. Simple jottings may aid a mental calculation.	14 plus 5 is equal to 19. I completed this using a mental calculation and deriving facts because I know that four plus five is equal to nine.
Metre	A standard unit of measure, equal to 100 centimetres.	I estimate that the table is about a metre tall.
Minute Oblong	A unit of time. A quadrilateral with two pairs of parallel sides of equal length.	We will have lunch in five minutes.
Odd number	An integer which is not divisible by two without a remainder.	All numbers which end in 1, 3, 5, 7 and 9 are odd numbers .
Partition	To split a number into two or more parts.	The number 23 can be canonically partitioned (by place value) into 20 and 3, or non-canonically partitioned in many different ways, including 18 and 5, 17 and 6, etc.
Place value	A system for writing numbers, in which the value of a digit is defined by its position within the number.	In the number 452 written in base ten, the digit four has a value of 400, the five has a value of 50 and the two has a value of two.
Position	Location, expressed either descriptively using positional prepositions, or specified by coordinates.	The book is on the table. The clock is hanging above the board.
Pound (sterling)	The official currency of the United Kingdom.	Pounds sterling are written using the £ symbol. There are 100 pence in one pound sterling.
Property	Any attribute.	A property of a triangle is that it has three straight sides and three vertices, the sum of whose angles is 180 degrees.
Pyramid	A 3-D shape with a polygonal base and otherwise triangular faces, which form edges with the base, and which meet at an apex.	apex
Quantity	An amount, in some cases given a numerical value.	A quantity of apples is placed on the left-hand side of the balance. How many kilogram masses will we need to place on the right to balance the apples?
Quarter	One of four equal parts of a whole, quantity or object.	I have shared the eight conkers into four equal groups – I have two conkers, which is one quarter of the whole.
Quarter turn	A 90-degree rotation, i.e. $\frac{1}{4}$ of a 360 degree 'full' turn.	
Repeated addition	A structure of multiplication where equal parts are added to make a whole.	I can show 4 × 5 as repeated addition : 4 + 4 + 4 + 4 + 4.



Deposted	A atrusture of division, whore equal	Loop was repeated subtraction to
Repeated subtraction	A structure of division, where equal parts are subtracted and the	I can use repeated subtraction to calculate 20 divided by four: 20 – 4 – 4 –
Subtraction	number of equal parts summed to	$\begin{vmatrix} 4 - 4 - 4 \end{vmatrix}$
	calculate a quotient.	4 - 4 - 4.
Represent	To express or show a	I have used three blue cubes to
Represent	mathematical concept using words,	represent the three oranges in the
	numerals and symbols, pictures,	question.
	diagrams, or concrete	I used a part-whole model to represent
	manipulatives.	the addition question.
Right	Indicating the position or direction.	The picture is on the right -hand side of
ragin	maleating the position of all cotion.	the board.
Rule	A consistent pattern which allows	2, 5, 8, 11, 14
	generalisation. Awareness of a rule	The rule is that each number is three
	allows a pupil to continue a	greater than the previous number.
	sequence or generate a related	Therefore, the next number in this
	sequence.	sequence will be 17.
Scales	An object used to measure mass.	The scales showed that the banana had
		a greater mass than the apple.
Sign	Synonymous with symbol in its	20 $□$ 5 = 4. What is the missing sign ?
	mathematical context, e.g. +, -, x,	
	÷, =.	
Standard unit	A uniform measure, agreed upon	Standard units of mass include grams
	as standard.	and kilograms.
		Standard units of length include
		centimetres, metres and kilometres.
		Standard units of volume and capacity
		include millilitres and litres.
Sphere	A 3-D shape with a continuous	A bowling ball is a sphere .
	surface, which is at all points	
	equidistant from its centre. It has	
	an infinite number of flat faces and	
Cumbal	straight edges.	20 DE 1 What is the missing symbol?
Symbol	Synonymous with sign in its	20 $□$ 5 = 4. What is the missing symbol ?
	mathematical context, e.g. +, -, x,	
Table	÷, =. A structure organised into columns	The information for Thursday is not yet
Table	and rows, in which data can be	complete on the table because it is only
	recorded.	Wednesday.
Turn	Rotation (see half and quarter	A whole turn is 360 degrees. A half turn
I dill	turn).	is 180 degrees. A quarter turn is 90
		degrees.
Unit	An element considered as a	I regrouped ten ones for one unit of ten.
-	single entity. Ten single	3 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :
	cubes can be grouped	Unifix cubes can be used as units of
	together to make a unit of	measure, but these are not standard
	ten.	units.
	2. A unit of measure, which	
	can be standard or non-	
	standard.	
Volume	A quantity or amount of any	The bottle contains a volume of one litre
	substance and the 3-D space it	but its capacity is two litres. The bottle is
	fills.	half full.



Year 2	Definition	Example
Angle	The amount of turn, measured in	The angle is 60 degrees.
_	degrees.	
Calculate	To compute or work out	Can you calculate the answer to 13 + 4?
	mathematically.	
Centimetre	A metric unit of length.	The book is 15 centimetres long.
Column	A vertical arrangement of numbers	23 has two tens – I will place them into
	or objects.	the tens column .
Commutative	A property of addition and	4 + 6 = 10
	multiplication. It does not matter in	6 + 4 = 10
	which order the addends or factors	This demonstrates that addition is
	are added or multiplied; the result	commutative.
	will be the same.	Arrays demonstrate the commutativity
		of multiplication, i.e. $3 \times 4 = 4 \times 3$
Consecutive	Following in order.	2, 3, 4, 5, 6 are consecutive numbers. 3,
		6 and 9 are consecutive multiples of 3.
Denominator	The number written below the	In the fraction one quarter, four is the
	vinculum in a fraction. In a	denominator.
	measure context, it indicates the	
	number of equal parts into which	
	the whole is divided. In a division	
	context, it is the divisor.	
Division	The process of partitioning a whole	12 divided by 3 is equal to 4.
	into equal parts.	
Efficient	Well-organised. Choosing an	I will use my number bonds knowledge to
	efficient computation strategy	calculate 22 + 7 efficiently. I know that 2
	requires consideration of the	+ 7 is equal to 9, so the answer is 29.
	numbers involved and will normally	That's more efficient that counting on
	utilise 'known facts'.	seven.
Frequency	The number of times something	4 pupils have brown hair. The frequency
	occurs within a data set.	of brown hair is 4.
Gram	A metric unit of mass.	The pencil weighs 20 grams .
Heptagon	A polygon with seven sides and	
	seven angles.	
		,
Hexagon	A polygon with six sides and six	
	angles.	
Inverse	Opposite operations that 'undo'	Addition and subtraction are inverse
operations	each other.	operations.
Millilitre	A metric unit of capacity/volume.	The can of fizzy drink has a capacity of 330 millilitres.
Multiple	The result of multiplying a number	36 is a multiple of three because three
	by an integer, for example, 12 is a	multiplied by 12 is equal to 36. It is also a
	multiple of 3 and 4 because $3 \times 4 =$	multiple of 12 for the same reason (and
	12.	1, 2, 4, 6, 9, 18 and 36).
Multiplication	One of the four mathematical	The multiplication symbol is x.
•	operations. Multiplication can be	
	understood as repeated addition or	
	scaling (introduced in Year 3).	
Multiply	To increase a quantity by a given	I can multiply 3 by 4 which is equal to
	scale factor.	12.



	1	_
Near double	When two numbers involved in an addition are close in value, such as 23 + 22. The numbers can be treated as exact doubles, followed by compensating.	To calculate 23 + 22, I can use the near double strategy. I can double 22 and then add one more.
Non-unit fraction	A fraction with a numerator greater than one.	Two thirds is a non-unit fraction .
Numerator	The number written above the vinculum in a fraction. In a measure context, it indicates the specified number of parts out of the whole. In a division context, it is the dividend.	In the fraction one quarter, one is the numerator.
Octagon	A polygon with eight sides and eight angles.	
Operation	A mathematical process. The four mathematical operations are addition, subtraction, multiplication and division.	4 + 2 = 6. The operation is addition.
Pentagon	A polygon with five sides and five angles.	
Pictogram	A representation of data using pictures or symbols.	France Germany America China Australia Each stands for 10 people.
Quadrilateral	A 2D shape with four sides and four angles. which add up to 360 degrees.	
Relationship	The way in which two or more things are connected.	The relationship between addition and subtraction is that they are the inverse of each other.
Right angle	An angle of 90 degrees.	A square has four right angles .
Rotation	The act of rotating about an axis/centre.	I will rotate the square 90 degrees clockwise.
Scale	Equally spaced markings on a measuring device which can be read to quantify a measurement.	Using the scale on the ruler, the book measures 15cm.
Symmetry	A shape is symmetrical when it fits exactly onto itself when folded in half.	This triangle has one line of symmetry .
Tally	A form of counting. Each tally is a vertical mark. After the fourth vertical mark, a fifth	Four children have black hair; I will record this as four tallies .



	horizontal/diagonal mark is drawn to create a group of five.	
Temperature	The measure of heat.	Outside has a temperature of 15 degrees Celsius.
Unit fraction	A fraction with a numerator of one.	One-third is a unit fraction .
Vinculum	A horizontal line that separates the numerator and the denominator in a fraction.	$\frac{1}{4}$ vinculum

Year 3	Definition	Example
Acute angle	An angle that is smaller than a right angle.	It is smaller than my right angle checker so this must be an acute angle .
Axis (plural: axes)	A real or imaginary reference line. The y-axis (vertical) and x-axis (horizontal) on charts and graphs are used to show the measuring scale or labels for the variables.	The y-axis on this bar graph shows you how many pupils preferred each colour.
Bar graph	A representation of data in which the frequencies are represented by the height or length of the bars.	This bar graph shows us the preferred colours of the pupils in our Year 3 class.
Columnar addition/subtraction	The formal written algorithms for addition and subtraction that are exemplified in <i>Mathematics Appendix 1</i> of the 2014 national curriculum.	Solve the following calculations by using the appropriate method of columnar addition or subtraction.
Factor	A number, that when multiplied with one or more other factors, makes a given number.	The number six has four factors : 1, 2, 3 and 6.
Formal written methods	Exemplified in <i>Mathematics</i> Appendix 1 (see above). As well as including columnar addition and subtraction, these also consist of written algorithms for multiplication and division.	Pupils should only use formal written methods for calculations that cannot be efficiently calculated using mental strategies (with or without jottings).
Horizontal	Horizontal refers to planes and line segments that are parallel to the horizon.	The x-axis on a graph should be horizontal.
Irregular	In geometry, irregular is a term used to describe shapes that are not regular (see below).	The sides and the angles of this pentagon are not all equal so the pentagon is irregular .
Kilometre	A metric unit measure of length that is equal to one thousand metres.	The distance from the school to Arun's house was exactly one kilometre .
Millimetre	A metric unit measure of length that is equal to one thousandth of one metre.	The length of Philippa's ruler is 300 millimetres.



		114/1
Numeral	A numeral is a symbol (or group of symbols) used to represent a number.	Whole numbers can all be represented as numerals consisting of the digits 0 to 9.
Obtuse angle	An angle that is greater than a right angle but less than 180 degrees.	It is greater than my right angle checker so this angle must be obtuse .
Parallel	Line segments that can be described as parallel must be on the same plane and will never meet, regardless of how far either or both line segments are extended.	The opposite sides of a square are parallel.
Perimeter	The perimeter of a 2-D shape is the total distance around its exterior.	I know that one side of this square is 2cm so it must have a perimeter of 8cm.
Perpendicular	A pair of line segments (or surfaces) can be described as perpendicular if they intersect at (or form) a right angle.	The adjacent sides of a rectangle are perpendicular.
Place holder	A place holder is a zero used in any place value column (that contains a value of zero) to clarify the relative positions of the digits in other places.	I need to use a place holder in the ones column to make it clear that my number is 320 and not 32.
Prism	A prism is a 3-D solid with two identical, parallel bases and otherwise rectangular faces.	A triangular prism has five faces, consisting of three rectangles and two triangles which are parallel.
Product	The result you get when you multiply two numbers.	24 is the product of 3 and 8.
Regular	Regular 2-D shapes (regular polygons) have angles that are all equal and side lengths that are all equal. Regular 3-D shapes (the Platonic Solids) are those that have congruent (exactly the same) faces of a single regular polygon.	A square is a regular 2-D shape because all four angles are right angles and all four sides are the same length. A cube is a regular 3-D shape with six identical square faces.
Roman numeral	Roman numerals are a system of symbols used to represent numbers that were developed and used by the Romans. They do not use a place value system.	The number twelve on this clock is represented by the Roman numerals XII, which is 10 + 1 + 1.
Round	Approximate a number, normally to the nearest multiple of ten, to make it easier with which to calculate.	I would round the number 17 to 20 because it is three away from 20 but seven away from 10.
Square-based pyramid	A pyramid is a 3-D shape with a 2-D shape (which gives the pyramid its name) as a base	This square-based pyramid has five faces; one square face and four triangular faces.
Triangle-based pyramid	and triangular faces that taper to a point called a vertex or apex.	This triangle-based pyramid has four triangular faces.



Year 4	Definition	Example
Area	The space a surface takes up inside its perimeter. Area is always measured in square units.	The area is 8 square units.
Associative law	No matter how the parts in an addition or multiplication equation are grouped, the answer will be the same.	(6 + 3) + 2 = 11 6 + (3 + 2) = 11 Addition and multiplication are associative. Subtraction and division are not.
Convert	To change from one unit of measurement to another.	2 km can be converted to metres – it is equal to 2000 m.
Coordinate	The position of a point, usually described using pairs of numbers. Sometimes called Cartesian coordinates, after the mathematician Rene Descartes.	The coordinate (3,4) describes a point that is 3 on the x axis and 4 on the y axis.
Decimal fraction	A fraction expressed in its decimal form.	Half written as a decimal fraction is 0.5.
Distributive law	The process whereby adding some numbers and then multiplying the sum gives the same answer as multiplying the numbers separately and then adding the products.	$3 \times (2 + 4) = (3 \times 2) + (3 \times 4)$ $3 \times 12 = (3 \times 10) + (3 \times 2)$
Dividend	The amount that you want to divide.	In '12 ÷ 3 = 4', 12 is the dividend .
Divisor	The number you divide by.	In '12 \div 3 = 4', 3 is the divisor .
Equilateral	Having all sides the same length.	An equilateral triangle has three equal sides.
Equivalent	Equivalent means having the same value. Equivalent fractions have the same value.	$\frac{2}{4} = \frac{1}{2}$
Expression	One or a group of numbers, symbols or operators. An expression does not use equality or inequality signs. Using an equality or inequality sign will give an equation.	2 × 3 4 ²
Grid	A series of evenly divided and equally spaced shapes, usually squares.	
Improper fraction	A fraction where the numerator is bigger than the denominator. These fractions are therefore greater than one whole.	12 11
Integer	A whole number that can be positive or negative.	6 is an integer, 0.6 is not.
Interval	An interval on a graph's axis lies between two values.	If one point on an axis is 50 and the next 60, the interval is 10.



	T.,	
Isosceles	Having two sides of equal length. Isosceles triangles have two equal sides; isosceles trapezia have two equal, non-parallel sides.	
Kite	A 2-D shape with two pairs of equal length adjacent sides. The diagonals intersect at right angles.	
Line graph	A graph that uses lines to connect the points on a data chart. Used to present continuous data, such as change over time.	Temperature graph 16 18:00am 10:00am 12:00 noon 2:00pm 4:00pm
Mixed numbers	Numbers consisting of an integer and fractional part.	$1\frac{1}{2}$; $3\frac{3}{4}$
Negative number	A number that is less than zero. (It is helpful to refer to these numbers as 'negative numbers' rather than 'minus' to avoid confusion with the operation 'minus'.)	-1, -24, -o.5 etc.
Parallelogram	A 2-D shape that has two pairs of parallel sides and equal opposite angles.	
Plot	To mark out a point on a graph or grid.	'Plot the point (3,6)' means to draw the precise location of that point, usually shown as a dot or a small cross.
Point	The precise location of a position on a 2-D plane.	An exact place on a graph or on squared paper. A point is often represented by a capital letter.
Positive number	A number that is greater than zero. Zero is neither positive or negative.	3, 32, 0.5
Proper fraction	A fraction with a value less than one.	$\frac{1}{2}$, $\frac{3}{4}$, $\frac{5}{8}$
Protractor	A measuring device for measuring the size of an angle. Angles are measured in degrees (°).	# 10 W 5 10 C 5 C 5 C 5 C 5 C 5 C 5 C 5 C 5 C 5 C
Quotient	The result when the dividend is divided by the divisor.	15 ÷ 3 = 5 5 is the quotient .
Rectilinear	A rectilinear shape has straight line edges which are perpendicular (all meet at right angles).	A rectangle. A straight-sided shape that can be divided up into other rectangles.



Rhombus	An equilateral parallelogram with four equal length sides.	
Scalene	A scalene triangle has three unequal sides and three unequal angles.	
Short division	A formal written layout where the quotient is calculated showing only one written step.	7 7 5 3 8 5
Short multiplication	A formal written layout where the multiplier is usually 9 or less.	782 <u>× 9</u> 7038
Simplify	To write a number or equation in its simplest form.	I can simplify $\frac{8}{10}$ to $\frac{4}{5}$.
Square centimetre	A unit of measure for area equal to a square with the dimensions 1 cm by 1cm.	Sometimes referred to as centimetre squared, abbreviated to cm ² .
Trapezium	A quadrilateral with exactly one pair of parallel sides.	

Year 5	Definition	Example
Angle at a point	Angles that meet at a point that sum to 360°.	110° 50° a°
Angle on a line	Angles formed on a straight line that sum to 180°.	125° / b°
Average (mean)	A measure of central tendency. The mean average of a set of data is the sum of the quantities divided by the number of quantities.	The mean average of the set 4, 5, 5, 6 is 5 because $(4 + 5 + 5 + 6) \div 4 = 5$.
Common factor	A factor of two (or more) given numbers.	A common factor of 12 and 9 is 3 because $3 \times 4 = 12$ and $3 \times 3 = 12$.
Common multiple	A multiple of two (or more) given numbers.	A common multiple of 3 and 6 is 12 because $3 \times 4 = 12$ and $6 \times 2 = 12$.
Congruent	Used to describe two shapes or figures which are exactly the same size.	The two triangles are congruent . If I place one on top of the other, there is no overlap.
Cube number	The product of three equal factors.	Eight is a cube number because $8 = 2 \times 2 \times 2 = 2^3$.
Cubic centimetre	A unit used to measure volume. The space taken up by a cube with edges of length 1 cm or	The volume of this multilink cube is eight cubic centimetres.



	which measures 1 cm × 1 cm ×	
	1 cm.	
Cubic metre	A unit used to measure volume.	The volume of this fridge is two cubic
	The space taken up by a cube	metres.
	with edges of length 1 metre.	
Decagon	A polygon with ten sides and ten	٨
	angles.	
		\sim
Degree	The unit of measure for angles.	A right angle is 90 degree s.
Diagonal	A straight line segment that joins	The diagonals of a
13.9 - 13.	one vertex to another.	kite are
		perpendicular
D: : ".		
Divisible	A number is said to be divisible	24 is divisible by 8. When divided by 8 it
	by another if it can be divided by that number without a	gives a quotient of 3, with no remainder.
	remainder.	
Dodecagon	A polygon with twelve sides and	
2 o d o o ago n	twelve angles.	
	and a single sin	
Long division	The formal written algorithm that	3 4
	can be used to divide by a	12 4 0 8
	number with two or more digits.	36
		4 8
		<u>4 8</u>
		0
Long multiplication	The formal written algorithm that	3 4
2011g manaphodatori	can be used to multiply a	× 1 2
	number by a number with two or	6 8
	more digits.	3 4 0
		4 0 8
Nogotivo intogor	A whole number with a value	
Negative integer	less than zero. Zero is neither	When the temperature falls below 0° a negative integer is used to record it.
	positive nor negative.	negative integer is used to record it.
Nonagon	A polygon with nine sides and	
	nine angles.	
Percentage	The number of parts per	30% means for every 100 there are 30.
	hundred which is written using	
D. I	the % symbol.	
Polygon	A 2-D shape with three or more	Triangles and rectangles are examples of
Dolyhodron (nl	straight sides.	polygons.
Polyhedron (pl.	A 3-D shape with flat surfaces	A cuboid is a polyhedron .
polyhedra)	that are polygons.	A cylinder is not a polyhedron because it has a curved surface.
Prime factor	A factor that is a prime number.	3 and 2 are prime factors of 6.
ו וווווט ומטנטו	Tradici macio a prime number.	o and z are prime lactors or 0.



Prime number	A whole number with only two factors, one and the number itself.	2, 3, 5, 7, 11, 13, 17 and 19 are the prime numbers less than 20.
Remainder	The amount remaining after division when a whole number answer is needed.	21 divided by four is equal to five with a remainder of 1.
Reflection	A mirror image that is equidistant from a mirror line.	The shape has been reflected in the dotted mirror line.
Reflex angle	An angle that is greater than 180°.	
Scale (not to scale)	The ratio of lengths, in a drawing, are in proportion to the measurements of the real object. The lengths are not in proportion when not to scale.	The diagram was not drawn to scale . That means I can't use a ruler to measure the sides, because they are not in proportion to the real object.
Square metre	A unit of measure for area. The surface covered by a square with sides of length one metre.	The area of the floor in a room might be measured in square metres .
Square number	The product of two equal factors.	9 is a square number because $9 = 3 \times 3$ = 3^2 .
Tetrahedron	A 3-D shape with four triangular faces.	
Transformation	A collective term for the ways that shapes can be changed, resulting in congruent or similar shapes, i.e. translation, reflection, rotation or enlargement.	Translations and reflections are types of transformations.
Translation	When a shape moves so that it is in a different position but retains the same size, area, angles and side length and so is congruent.	Triangle C has been translated three right and two down resulting in triangle D.



Year 6	Definition	Example
Arc	A portion of the circumference of a circle	
Brackets	The symbols () used to separate parts of a multi-step calculation.	$(10-2) \times 3 = 21$
Centre	In a circle, the centre refers to one point that is equidistant to all points around the circumference of the circle.	To draw a circle, I place the point of my pair of compasses at the centre .
Circumference	The perimeter/boundary of a circle.	
Compasses	A tool for creating curved lines, arcs and circles.	I can use a pair of compasses to draw a circle with a radius of 4 cm.
Common fraction	A fraction written with a numerator and denominator separated by a vinculum.	One quarter can be written as a common fraction, $\frac{1}{4}$.
Degree of	A description of how accurately a value is communicated.	The degree of accuracy needed for the answer is one decimal place.
Diameter	A line from one point of the circumference of a circle to another on the opposite side, which must pass through the centre of the circle.	The circumference of a circle is the diameter multiplied by pi.
Equivalent expression	An expression, which can be algebraic, which is equal in value to another expression.	Find an equivalent expression to 17 + 10. 18 + 9 is an equivalent expression to 17 + 10.
Factorise	To identify factors of a given number. To express a number as factors.	I can factorise 12 by looking at its factor pairs. $1 \times 12 = 12$, $2 \times 6 = 12$, $3 \times 4 = 12$. So the factors of 12 are 1, 2, 3, 4, 6 and 12.
Foot/feet	An imperial unit of measure of length.	I am approximately five feet tall.
Formula	An algebraic expression of a rule.	The area of a rectangle can be found by multiplying the width and height. a = w × h
Gallon	An imperial unit of measure of volume/capacity.	A gallon is approximately 4.5 litres
Imperial unit	A unit of measure once officially used in the UK but is now used less often, except in the context of length. Includes miles, pounds and pints.	Miles are an imperial unit to measure length.
Inch	An imperial unit of measure.	An inch is approximately 2.2 cm.
Intersect	The point at which two (or more) lines meet is where they intersect.	The x and y axes intersect at (0,0)



Metric unit	A standard unit of measure used in the UK and Europe. Includes centimetres, litres and kilograms.	Litres are a metric unit used to measure volume.
Mile	An imperial unit of measure of length.	Five miles is equivalent to eight kilometres.
Net	A group of 2-D shapes which, when folded and connected, forms a 3-D polyhedron.	The net of a cube is comprised of six connected squares.
Order of operations	The internationally agreed order to complete operations in a multi-step equation with multiple operations.	(3 + 4) × 2 = □ The order of operations dictates that the operation within the brackets is completed first.
Origin	The point at which axes in a coordinates grid cross; the point (0,0).	The origin is indicated by the blue dot.
Ounce	An imperial unit of measure of mass.	The newborn baby had a mass of 6 pounds and 3 ounces .
Pie chart	A representation of a set of data where each segment represents one group in proportion to the whole.	Nationality of Astronauts on Board ISS January 2017 Russia USA France
Pint	An imperial unit of measure.	I found a pint of milk on my doorstep.
Pound (mass)	An imperial unit of measure of mass.	The new-born baby had a mass of 6 pounds and 3 ounces.
Proportion	A comparison between two or more parts of a whole or group. Proportion expresses a partwhole relationship. This may be represented as a fraction, a percentage or a decimal.	Two thirds of a class were boys. The proportion of the class that is girls is one third.
Quadrant	One of four regions into which a coordinates grid is divided.	Second Quadrant Negative x, positive y Third Quadrant Negative x, negative y, negative y Positive x and y values Fourth Quadrant Negative x, negative y negative y



Radius	A line from one point of the circumference of a circle to the centre of the circle.	
Ratio	A comparison between two or more parts of a whole or group. Ratio expresses a part-part relationship. This is usually represented in the form a:b.	For every 4 tulips there are 7 daffodils. The ratio of tulips to daffodils is 4:7.
Similar	Similar shapes are those which have the same internal angles and where the side lengths are in the same ratio or proportion. Enlarging a shape by a scale factor (for example by doubling all side lengths) creates a similar shape.	All squares are similar to one another.
Square millimetre	The area of a square with sides 1 mm.	The smallest squares on graph paper have an area of one square millimetre.
Square kilometre	The area of a square with sides 1 km.	The area of England is 130 279 square kilometres .
Vertically opposite angles	Angles which are positioned opposite to one another when two lines intersect.	The purple angles indicated are vertically opposite angles.